

Catalog #	Type
Project	
Comments	
Prepared by	Date

H7 Family Trims

LENSES AND DIFFUSERS

70

Glass Albalite Lens

Lamps: A lamp*

70P=Albalite Lens, White Trim Ring

70PS=Albalite Lens, White Trim Ring

Gasketed for use as Shower Light

O.D = 8" (203mm)

Used In:

H7T, H7RT


H7UIC, H7UICAT

H27T, H27RT

H7T-70
60W A19 870 Lumens

Dia	FC	Work Plane
5'6"	3.9	4'6"
8'0"	1.8	6'6"
10'6"	1.1	8'6"
13'0"	.7	10'6"
15'6"	.5	12'6"
18'0"	.4	14'6"

- Work Plane is 2 1/2 ft above floor
- Dia of circle is 50% of max footcandles directly under fixture
- Lamp 2" from lens



70 Glass Albalite

170

Glass Albalite Lens with Reflector Cone - Socket Supporting

Lamps: A lamp*

170P=Albalite Lens with White Trim Ring

170PS=Albalite Lens with White Trim Ring

Gasketed for use as Shower Light

O.D = 8" (203mm)

Used In:

H7ICT, H7ICAT, H7RICT, H7RICAT

H7ICTNB, H7ICATNB


H7UIC, H7UICAT

H27T, H27RT

H7ICT-170
40W A19 495 Lumens
Test No. H35150

Dia	FC	Work Plane
12'0"	1	5'6"
12'6"	.9	6'6"
13'6"	.8	8'0"
15'0"	.6	10'0"
18'0"	.4	12'0"
20'0"	.3	14'0"

- Work Plane is 2 1/2 ft above floor
- Dia of circle is 50% of max footcandles directly under fixture



170 Glass Albalite

71

Drop Opal

Lamps: A lamp*

71P=Drop Opal Diffuser with White Trim Ring

71PS=Drop Opal Diffuser with White Trim Ring

Gasketed for use as Shower Light

O.D = 8" (203mm)

Used In:

H7T, H7RT


H7UIC, H7UICAT

H27T, H27RT

H7T-71
60W A19 870 Lumens

Dia	FC	Work Plane
6'0"	3.4	4'6"
8'6"	1.6	6'6"
11'6"	1.0	8'6"
14'0"	.6	10'6"
17'0"	.4	12'6"
20'0"	.3	14'6"

- Work Plane is 2 1/2 ft above floor
- Dia of circle is 50% of max footcandles directly under fixture
- Lamp in Max down position



71 Drop Opal Lens

171

Drop Opal with Reflector Cone - Socket Supporting

Lamps: A lamp*

171P=Drop Opal Diffuser with White Trim Ring

171PS=Drop Opal Diffuser with White Trim Ring

Gasketed for use as Shower Light

O.D = 8" (203mm)

Used In:

H7ICT, H7ICAT, H7RICT, H7RICAT

H7ICTNB, H7ICATNB


H7UIC, H7UICAT

H27T, H27RT

H7ICT-171
40W A19 495 Lumens
Test No. H35151

Dia	FC	Work Plane
12'0"	1	5'6"
12'6"	.9	6'6"
14'0"	.7	8'0"
16'0"	.5	10'0"
19'0"	.3	12'0"
21'0"	.3	14'0"

- Work Plane is 2 1/2 ft above floor
- Dia of circle is 50% of max footcandles directly under fixture



171 Drop Opal Lens

* Lamp Wattage and type vary with Housings.
Refer to individual housing sheets for specific wattage ratings

H7 Family Trims

LENSES AND DIFFUSERS

73

Fresnel Lens

Lamps: A Lamp*

73P=Fresnel Lens with White Trim Ring

73PS=Fresnel Lens with White Trim Ring

Gasketed for use as Shower Light

O.D = 8" (203mm)

Used In:

H7T, H7RT


H7UICAT, H7UICAT

H27T, H27RT

H7T-73
60W A19 870 Lumens

Dia	FC	Work Plane
5'0"	8.8	4'6"
7'0"	4.2	6'6"
9'0"	2.5	8'6"
11'6"	1.6	10'6"
14'0"	1.1	12'6"
16'0"	.8	14'6"

- Work Plane is 2 1/2 ft above floor
- Dia of circle is 50% of max footcandles directly under fixture
- Lamp 1/2" from Lens



73 Glass Fresnel lens

173

Fresnel Lens

Lamps: A Lamp*

173P=Fresnel Lens with White Trim Ring

173PS=Fresnel Lens with White Trim Ring

Gasketed for use as Shower Light

O.D = 8" (203mm)

Used In:

H7T, H7RT


H7UICAT, H7UICAT

H27T, H27RT

H7UICAT-173
60W A19 870 Lumens
Test No. H22137

Dia	FC	Work Plane
11'0"	3	5'6"
11'0"	3	6'6"
12'0"	2	8'0"
15'0"	2	10'0"
18'0"	1	12'0"
20'0"	1	14'0"

- Work Plane is 2 1/2 ft above floor
- Dia of circle is 50% of max footcandles directly under fixture



173 Glass Fresnel Lens

75

All-Glass Diffuser

Lamps: A lamp*

75=All Glass Diffuser

O.D = 7 3/4" (197mm)

Used In:

H7T, H7RT


H7UICAT, H7UICAT

H27T, H27RT

H7T-75
60W A19 870 Lumens

Dia	FC	Work Plane
5'6"	4.2	4'6"
8'0"	2.0	6'6"
11'0"	1.2	8'6"
13'6"	.8	10'6"
16'0"	.5	12'6"
18'6"	.4	14'6"

- Work Plane is 2 1/2 ft above floor
- Dia of circle is 50% of max footcandles directly under fixture
- Lamp in max down position



75 All-Glass Diffuser

172PS

Shower Light Trim

Lamps: A Lamp*

172PS=Frosted "Lift & Rotate" Diffuser,

White Trim Ring

O.D = 7 3/4" (197mm)

Used In:

H7ICT, H7ICAT, H7RICT, H7RICAT

H7ICTNB, H7ICATNB

H7T, H7RT

H7UICAT, H7UICAT


H27ICT, H27ICAT, H27RICT, H27RICAT

H27T, H27RT

H7ICT-172PS
40W A19 495 Lumens
Test No. H35152

Dia	FC	Work Plane
12'0"	1.1	5'6"
12'6"	.9	6'6"
13'0"	.8	8'0"
14'6"	.6	10'0"
15'6"	.4	12'0"
18'0"	.3	14'0"

- Work Plane is 2 1/2 ft above floor
- Dia of circle is 50% of max footcandles directly under fixture



172PS Shower Trim

416

Baffle with Semi-Regressed Drop Opal

Lamps: A Lamp*

416P=Semi-Regressed Drop Opal with

Black Baffle

416W=Semi-Regressed Drop Opal with

White Baffle

O.D = 7 1/4" (184mm)


Used In:

H7T, H7RT

H7T-416
60W A19 870 Lumens

Dia	FC	Work Plane
6'0"	3.3	4'6"
8'6"	1.6	6'6"
11'0"	.9	8'6"
13'6"	.6	10'6"
16'6"	.4	12'6"
19'0"	.3	14'6"

- Work Plane is 2 1/2 ft above floor
- Dia of circle is 50% of max footcandles directly under fixture
- Lamp 1/2" from Lens



416 Baffle with Semi-Regressed Drop Opal

* Lamp Wattage and type vary with Housings.
Refer to individual housing sheets for specific wattage ratings

Note: Specifications and Dimensions subject to change without notice.

Visit our web site at www.cooperlighting.com